



ROSEMONT FASCIA WALL COLLECTION

DESCRIPTION: Fascia Panel & Corner **TEXTURE:** Klean-Bloc Slate

PALLET OVERVIEW - PANELS



PALLET OVERVIEW - CORNERS





COMPATIBLE CAPS

See page 140 for product compatibility.



Klean-Bloc technology See page 24.

NOTES

See page 135 to 156 for more technical information.

Fascia Panels require single-sided structural blocks (retaining wall application) or double-sided structural blocks (freestanding walls). Sold Separately.

Spe	cifications per pallet	Imperial	Metric	
FASCIA	Cubing	45 units	45 units	
		47.95 ft ²	4.46 m ²	
		97.44 lin. ft	29.70 lin. m	
	Approx. Weight	1 293 lbs	587 kg	
	Number of rows	3		
	Coverage per row	15.98 ft ²	1.49 m ²	
	Linear coverage per row	32.48 lin. ft	9.90 lin. m	




Specifications per pallet					Imperial		Metric	
ÆR	Cubin	Cubing		24 ι	24 units		24 units	
CORNER	Approx. Weight		660	660 lbs		299 kg		
	Number of rows		1					
	Pillar height			35 ½ in			900 mm	
	L2 H		Unit dimensio	ns	in	mm	l	Jnits/pallet
		A	Heig	ght	5 %	150		12 units
LI		LEFT UNIT	Dep	oth	2 3/4	70		
			Leng	gth	23 1/4	590		
	L2 H		Unit dimensio	ns	in	mm	l	Jnits/pallet
LI		R	Heig	ght	5 %	150		12 units
-1		RIGHT UNIT	Dep	oth	2 3/4	70		
		TOP	Leng	gth	23 1/4	590		




INSTALLATION GUIDE

FREESTANDING WALL




- A. TECHO-BLOC CAP UNIT SECURED TO CORE AND PANEL BELOW WITH FLEXLOCK ADHESIVE
- B. STRUCTURAL BLOCK DOUBLE-SIDED UNIT
- C. PANEL UNIT
- **D.** 29 1/2" (750 mm) MAX.
- E. EMBEDMENT DEPTH 6" (150 mm) MIN.
- F. GEOTEXTILE
- G. COMPACTED GRANULAR BASE 6" (150 mm) MIN. THICKNESS ACCORDING TO PROJECT SPECIFICATIONS
- H. FLEXLOCK ADHESIVE
- I. HDPE HORIZONTAL KEY
- J. BASE UNIT

FREESTANDING WALL - 90° CORNER



- 1. ALTERNATE ODD AND EVEN ROWS.
- STAGGER STRUCTURAL BLOCKS JOINTS FROM ONE ROW TO THE NEXT.
- **3.** GLUE ALL STRUCTURAL BLOCKS AT EACH ROW WITH FLEXLOCK ADHESIVE.
- **4.** APPLY FLEXLOCK ADHESIVE ON TOP OF UPPERMOST PANEL UNITS TO FIX CAP UNITS.
- STRUCTURAL BLOCK DOUBLE SIDED UNIT CUT / SPLITTED IN HALF MUST ALWAYS BE PRESENT AT THE CORNER OF THE WALL.


GRAVITY RETAINING WALL




- **A.** TECHO-BLOC CAP UNIT SECURED TO UNIT BELOW WITH FLEXLOCK ADHESIVE
- B. STRUCTURAL BLOCK SINGLE SIDED UNIT
- C. PANEL UNIT
- **D.** WALL INCLINATION (5.3°)
- E. HDPE HORIZONTAL KEY
- F. EXPOSED HEIGHT
- G. EMBEDMENT DEPTH
- H. TOP SOIL
- I. LOW PERMEABILITY SOIL
- **J.** 3/4" (20 mm) CLEAN STONE 14" (350mm) THICK MIN.
- K. RETAINED SOIL
- L. GEOTEXTILE
- M. PERFORATED DRAIN
- N. LEVELING PAD
- FOUNDATION SOILFLEXLOCK ADHESIVE
- Q. BASE UNIT

INSTALLATION GUIDE


FREESTANDING END OF A STRAIGHT WALL (OPTION 1)






NOTES:

- ALTERNATE ODD AND EVEN ROWS.
 STAGGER STRUCTURAL BLOCKS JOINTS FROM ONE ROW TO THE NEXT.
- GLUE ALL STRUCTURAL BLOCKS AT EACH
- ROW WITH FLEXLOCK ADHESIVE.
 APPLY FLEXLOCK ADHESIVE ON TOP OF UPPERMOST PANEL UNITS TO FIX CAP UNITS.




FREESTANDING END OF A STRAIGHT WALL (OPTION 2)




NOTES:

- ALTERNATE ODD AND EVEN ROWS.
 STAGGER STRUCTURAL BLOCKS JOINTS
 FROM ONE ROW TO THE NEXT.
- GLUE ALL STRUCTURAL BLOCKS AT EACH ROW WITH FLEXLOCK ADHESIVE
- APPLY FLEXLOCK ADHESIVE ON TOP OF UPPERMOST PANEL UNITS TO FIX CAP UNITS.





INSTALLATION GUIDE

PILLARS - FASCIA WALL COLLECTION




STRUCTURAL BLOCK SINGLE SIDED UNIT CUT / SPLITTED IN HALF





- PILLAR CAP UNIT SECURED TO CORE AND PANEL BELOW WITH FLEXLOCK ADHESIVE
- B. RIGHT PANEL
- C. LEFT PANEL
- **D.** 35 7/16" (900 mm) MAX HEIGHT
- E. EMBEDMENT DEPTH 6" (150 mm) MIN.
- **F.** GEOTEXTILE
- G. COMPACTED GRANULAR BASE 6" (150 mm) MIN. THICKNESS ACCORDING TO PROJECT SPECIFICATIONS.



(660 mm)

RIGHT PANEL -STRUCTURAL BLOCK SINGLE SIDED UNIT

STRUCTURAL BLOCK SINGLE SIDED UNIT CUT / SPLITTED IN

ODD ROW

HALF

For all possible combinations of pillars and caps, please refer to the correspondence table on page 140

TEXTURED PANEL WITH SIMULATED JOINTS

179

INSTALLATION GUIDE

STEPS - FASCIA WALL COLLECTION

